

Catifa 46


Design by Lievore Altherr Molina, 2004

Art. 0291

Chair with chromed steel five-star swivel trestle base, mounted on self-braking castors fitted with gas height adjustment mechanism. The wood shell is available in three finishes (natural oak, bleached oak, wengé). Steel armrests are available upon request.



Dimensions *



* File CAD 2D - 3D available for download at www.arper.com

Frame Base



CRO

Shell

Wood



L0020

L0021

L0022

arper

F +39 0422 791800

T +39 0422 7918

www.arper.com

Catifa 46

Design by Lievore Altherr Molina, 2004

Accessories:



Cushion Art. 0261



Armrests BV

SHIPMENT DETAILS

Art.0291

1 pz = 2  - kg 11,78/ m² 0,27

RESISTANCE TEST

- TUV GS (EN16139)

ENVIRONMENTAL CERTIFICATIONS



TECHNICAL SPECIFICATIONS

FIRE RETARDANT TEST

BS5852/90 Sez.5 cigarette match LG • Classe 1 LG

arper

F +39 0422 791800

T +39 0422 7918

www.arper.com

Catifa 46


Design by Lievore Altherr Molina, 2004

Art. 0294

Chair with chromed steel five-star swivel trestle base, mounted on self-braking castors and fitted with gas height adjustment mechanism. The shell is available in single-colour polypropylene, bi-colour polypropylene or upholstered in hard leather grade 1 (CT) or hard leather grade 2 (CU). Polypropylene and steel armrests, are available upon request.



Dimensions *



* File CAD 2D - 3D available for download at www.arper.com

Frame Base



CRO

Shell

Polypropylene



PO
Polypropylene
two colors



PO
Polypropylene
one color

Hard leather Grade 1 and Grade 2



CT



CU

arper

F +39 0422 791800

T +39 0422 7918

www.arper.com

Catifa 46

Design by Lievore Altherr Molina, 2004

Accessories:



Cushion Art. 0261



Armrests BV



Armrests CV - pad (only for PO)

SHIPMENT DETAILS

Art.0294

1 pz = 2  - kg 14,68/ m² 0,3
4 pz = 5  - kg 46,4/ m² 0,84

RESISTANCE TEST

- EN 1728:2000 - EN 15373:2007 6.15
- EN 1728:2000 - EN 15373:2007 6.2.1
- EN 1728:2000 - EN 15373:2007 6.7
- EN 1728:2012 - EN 16139:2013 6.17
- EN 1022:05
- TUV GS (EN16139)

- EN 1728:2000 - EN 15373:2007 6.16
- EN 1728:2000 - EN 15373:2007 6.2.2
- EN 1728:2000 - EN 15373:2007 6.8
- EN 1728:2012 - EN 16139:2013 6.18
- UNI 9084/2002

TECHNICAL SPECIFICATIONS

FIRE RETARDANT TEST

BS5852/90 Sez.5 cigarette match polypropylene • Classe 1
polypropylene • EN 1021 -1/2 polypropylene • M2 polypropylene •
California TB133 polypropylene • BS5852 Sch. 5 Part 1 CT CU

ENVIRONMENTAL CERTIFICATIONS



arper

F +39 0422 791800

T +39 0422 7918

www.arper.com

Catifa 46


Design by Lievore Altherr Molina, 2004

Art. 0296

Chair with chromed steel five-star swivel trestle base, mounted on self-braking castors and fitted with gas height adjustment mechanism. The shell is upholstered in leather, faux leather, fabric or customer's own material. Steel armrests, also upholstered, are available upon request.



Dimensions *



* File CAD 2D - 3D available for download at www.arper.com


Frame Base



CRO

Shell

Carded In



Graded In

kvadrat

camira



DESIGN
TEX



Gabriel



svensson

maharam

Serge Ferrari

Catifa 46

Design by Lievore Altherr Molina, 2004



Armrests BV



Armrests CI - only pad

SHIPMENT DETAILS

Art.0296

1 pz = 2 - kg 13,6/ m² 0,29

4 pz = 5 - kg 52,4/ m² 0,9

RESISTANCE TEST

- EN 1728:2000 - EN 15373:2007 6.2.1
- EN 1728:2000 - EN 15373:2007 6.7
- UNI 9084/2002

- EN 1728:2000 - EN 15373:2007 6.2.2
- EN 1022:05
- TUV GS (EN16139)

TECHNICAL SPECIFICATIONS

Art.0296

COL requirement m² 1.67

H 140 cm. COM Meterage ml 1.1

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Steelcut Trio 3 Sunniva Sunniva 2 Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Pro 3 Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Steelcut Trio 3 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Pro 3 Soft leather

ENVIRONMENTAL CERTIFICATIONS



arper

F +39 0422 791800

T +39 0422 7918

www.arper.com

Catifa 46


Design by Lievore Altherr Molina, 2012

Art. 0300

Chair with chromed steel five-star swivel trestle base, mounted on self-braking castors and fitted with gas height adjustment mechanism. Polypropylene shell with cushion upholstered in fabric, leather, faux leather or customer's own material applied to the seat surface. Polypropylene and steel armrests, also upholstered, are available upon request.



Dimensions *



* File CAD 2D - 3D available for download at www.arper.com

Frame Base



CRO

Shell

Polypropylene



PO
Polypropylene
two colors



PO
Polypropylene
one color

Carded In



Canvas
Kvadrat



Cava 3
Kvadrat



Clara 2
Kvadrat



Divina 3
Kvadrat



Divina MD
Kvadrat



Divina Melange 2
Kvadrat



Field
Kvadrat



Fiord
Kvadrat



Floyd
Kvadrat



Hallingdal 65
Kvadrat



Pause 4
Kvadrat



Pro 3
Kvadrat



Remix 2
Kvadrat



Revive 1
Kvadrat



Rime
Kvadrat



Savanna
Kvadrat



Scuba
Kvadrat



Steelcut 2
Kvadrat



Steelcut Trio 3
Kvadrat



Tempo
Kvadrat



Tonus 4
Kvadrat



Umami
Kvadrat



Jet
Fidivi



Style
Fidivi



Valencia
Faux leather
Spradling



Soft leather



Elmosoft®
Leather

Graded In

kvadrat

camira



DESIGN
TEX



Gabriel



svensson

maharam

Serge Ferrari

Catifa 46

Design by Lievore Altherr Molina, 2012



Armrests BV



Armrests CI - only pad

SHIPMENT DETAILS

Art.0300

1 pz = 2  - kg 15/ m³ 0,3

4 pz = 5  - kg 53,84/ m³ 0,9

TECHNICAL SPECIFICATIONS

Art.0300

COL requirement m² 0.48

H 140 cm. COM Meterage ml 0.59

RESISTANCE TEST

- EN 1728:2000 - EN 15373:2007 6.2.1
- EN 1728:2000 - EN 15373:2007 6.7
- EN 1022:05

- EN 1728:2000 - EN 15373:2007 6.2.2
- EN 1728 6.15
- UNI 9084/2002

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Steelcut Trio 3 Sunniva Sunniva 2 Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Pro 3 Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Steelcut Trio 3 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Pro 3 Soft leather

ENVIRONMENTAL CERTIFICATIONS



arper

F +39 0422 791800

T +39 0422 7918

www.arper.com

Catifa 46


Design by Lievore Altherr Molina, 2013

Art. 0318

Chair with chromed steel five-star swivel trestle base, mounted on self-braking castors and fitted with gas height adjustment mechanism. The polypropylene shell is upholstered with a removable non-washable cover in leather, faux leather, fabric or customer's own material. The chair is provided already fitted with the cover. Steel armrests, also upholstered, are available upon request.



Dimensions *



* File CAD 2D - 3D available for download at www.arper.com


Frame Base



CRO

Shell

Carded In



Graded In

kvadrat

camira



DESIGN
TEX



Gabriel



svensson

maharam

Serge Ferrari

Catifa 46

Design by Lievore Altherr Molina, 2013



Armrests BV



Armrests CI - only pad

SHIPMENT DETAILS

Art.0318

1 pz = 2  - kg 13,6/ m² 0,29

4 pz = 5  - kg 52,4/ m² 0,9

TECHNICAL SPECIFICATIONS

Art.0318

COL requirement m² 4.02

H 140 cm. COM Meterage ml 2.2

RESISTANCE TEST

- EN 1728:2000 - EN 15373:2007 6.2.1
- EN 1728:2000 - EN 15373:2007 6.7
- UNI 9084/2002

- EN 1728:2000 - EN 15373:2007 6.2.2
- EN 1022:05

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Steelcut Trio 3 Sunniva Sunniva 2 Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Pro 3 Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Steelcut Trio 3 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Pro 3 Soft leather

ENVIRONMENTAL CERTIFICATIONS



arper

F +39 0422 791800

T +39 0422 7918

www.arper.com

Catifa 46


Design by Lievore Altherr Molina, 2014

Art. 0334

Chair with chromed steel five-star swivel trestle base, mounted on self-braking castors and fitted with gas height adjustment mechanism. Wood shell with front upholstery in leather, faux leather, fabric or customer's own material. Steel armrests, also upholstered, are available upon request.



Dimensions *



* File CAD 2D - 3D available for download at www.arper.com

Frame Base



CRO

Shell

Wood



L0020

L0021

L0022

Carded In



Graded In

kvadrat

camira



DESIGN
TEX



Gabriel



svensson

maharam

Serge Ferrari

Catifa 46

Design by Lievore Altherr Molina, 2014



Armrests BV



Armrests CI - only pad

SHIPMENT DETAILS

Art.0334

1 pz = 2  - kg 15/ m³ 0,3

4 pz = 5  - kg 53,84/ m³ 0,9

TECHNICAL SPECIFICATIONS

Art.0334

COL requirement m² 0.84

H 140 cm. COM Meterage ml 0.65

RESISTANCE TEST

FIRE RETARDANT TEST

BS5852 Sch. 4 Part 1 Faux leather Valencia

ENVIRONMENTAL CERTIFICATIONS

arper

F +39 0422 791800

T +39 0422 7918

www.arper.com

Catifa 46


Design by Lievore Altherr Molina, 2004

Art. 0466

Chair with chromed steel five-star swivel trestle base, mounted on self-braking castors and fitted with gas height adjustment mechanism. Polypropylene shell with front upholstery in fabric, leather, faux leather or customer's own material. Steel armrests, also upholstered, are available upon request.



Dimensions *



* File CAD 2D - 3D available for download at www.arper.com

Frame Base



CRO

Shell

Polypropylene



PO
Polypropylene
one color

Carded In



Canvas
Kvadrat



Cava 3
Kvadrat



Clara 2
Kvadrat



Divina 3
Kvadrat



Divina MD
Kvadrat



Divina Melange 2
Kvadrat



Field
Kvadrat



Fiord
Kvadrat



Floyd
Kvadrat



Hallingdal 65
Kvadrat



Pause 4
Kvadrat



Pro 3
Kvadrat



Remix 2
Kvadrat



Revive 1
Kvadrat



Rime
Kvadrat



Savanna
Kvadrat



Scuba
Kvadrat



Steelcut 2
Kvadrat



Steelcut Trio 3
Kvadrat



Tempo
Kvadrat



Tonus 4
Kvadrat



Umami
Kvadrat



Jet
Fidivi



Style
Fidivi



Valencia
Faux leather
Spradling



Soft leather



Elmosoft®
Leather

Graded In

kvadrat

camira



DESIGN
TEX



Gabriel



svensson

maharam

Serge Ferrari

Catifa 46

Design by Lievore Altherr Molina, 2004



Armrests BV



Armrests CI - only pad

SHIPMENT DETAILS

Art.0466

1 pz = 2 - kg 15/ m³ 0,3

4 pz = 5 - kg 53,84/ m³ 0,9

TECHNICAL SPECIFICATIONS

Art.0466

COL requirement m² 0.84

H 140 cm. COM Meterage ml 0.65

RESISTANCE TEST

- EN 1728:2000 - EN 15373:2007 6.2.1
- EN 1728:2000 - EN 15373:2007 6.7
- UNI 9084/2002

- EN 1728:2000 - EN 15373:2007 6.2.2
- EN 1022:05
- TUV GS (EN16139)

FIRE RETARDANT TEST

Classe 1IM Cava 3 Divina MD Divina Melange 2 Divina 3 Hallingdal 65 Pro 3 Soft leather Tonus 4 Faux leather Valencia • California TB117-2013 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Jet Jumper 3 Pro 3 Soft leather Remix 2 Savanna Steelcut 2 Scuba Steelcut Trio 2 Steelcut Trio 3 Sunniva Sunniva 2 Tonus 4 Tempo Faux leather Valencia • BS5852 Sch. 4 Part 1 Cava 3 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Pro 3 Tonus 4 Faux leather Valencia • BS5852 Sch. 5 Part 1 Cava 3 Clara Canvas Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Hallingdal 65 Soft leather Remix 2 Savanna Steelcut 2 Steelcut Trio 2 Steelcut Trio 3 Tonus 4 Faux leather Valencia • EN 1021 - 1 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Pro 3 Soft leather • EN 1021 - 2 Divina MD Divina Melange 2 Divina 3 Soft leather Elmosoft Field Hallingdal 65 Pro 3 Soft leather

ENVIRONMENTAL CERTIFICATIONS



arper

F +39 0422 791800

T +39 0422 7918

www.arper.com